

# Township of Fdgewater Park 400 Pelanco Road Fdgewater Park, New Jersey 08010

Phone (609) 877-2050 Fax (609) 877-2308

pclayton@edgewaterpark-nj.com

### TREE REMOVAL PERMIT APPLICATION

### **General Requirements**

# A. Tree Removal Permit Required

- 1. Any person planning actions that include or may results in tree removal of a street tree, as defined as Tree removal, with a diameter at breast height (DBH) of two and a half inches (2.5") or greater or any non-street tree with DBH of six inches (6") or more on their property shall submit a Tree Removal Application to the Township Administrator. No tree shall be removed, unless exempt under Section IV of the *Ordinance of the Township of Edgewater Park to Repeal Chapter 438 Entitled* "TREES" and to Replace with New Chapter "Tree Removal and Replacement" (Ordinance 2024-06) and/or until municipal officials have reviewed and approved the removal.
- 2. For larger scale clearing projects over 5,000 square feet, the applicant shall submit a tree survey as part of the application to determine number, sizes and exemptions of trees.

# **B.** Tree Replacement Requirements

- 1. Any person who removes one or more street tree(s) with a DBH of two and a half inches (2.5") or greater, unless exempt under the aforementioned Section IV, shall be subject to the requirements of the Tree Replacement Requirements Table below.
- 2. Any person, who removes one or more tree(s), unless exempt under the aforementioned Section IV, as defined as Tree removal, with a DBH of six inches (6") or greater per acre, unless otherwise detailed under Section IV, shall be subject to the requirements of the Tree Replacement Requirements Table below
- 3. The species type and diversity of replacement trees shall be in accordance with Appendix A and Appendix B of the *Ordinance of the Township of Edgewater Park to Repeal Chapter 438 Entitled "TREES" and to Replace with New Chapter "Tree Removal and Replacement" (Ordinance 2024-06).*
- 4. Replacement tree(s) shall:

- 1) Be replaced in kind with a tree that has an equal or greater DBH than the tree removed **or** meet the Tree Replacement Criteria in the Tree Replacement Requirements Table below;
- 2) Be planted within twelve (12) months of the date of removal of the original tree(s) or at an alternative date specified by the municipality;
- 3) Be monitored by the applicant for a period of two (2) years to ensure their survival and shall be replaced as needed within twelve (12) months; and
- 4) shall not be planted in temporary containers or pots, as these do not count towards tree replacement requirements.

# **Tree Replacement Requirements Table**

CATEGORY	TREE REMOVED (DBH)	TREE REPLACEMENT CRITERIA (See Appendix A*)
1	DBH of 2.5" (for street trees) or 6" (for non-street trees) to 12.99"	Replant one (1) tree with a minimum tree caliper of one and a half inches (1.5") for each tree removed
2	DBH of 13" to 22.99"	Replant two (2) trees with minimum tree calipers of one and a half inches (1.5") for each tree removed
3	DBH of 23" to 32.99"	Replant three (3) trees with minimum tree calipers of one and a half inches (1.5") for each tree removed
4	DBH of 33" or greater	Replant four (4) trees with minimum tree calipers of one and a half inches (1.5") for each tree removed

# C. Replacement Alternatives

- 1. If the municipality determines that some or all required replacement trees cannot be planted on the property where the tree removal activity occurred, then the applicant shall do one of the following:
  - 1) Plant replacement trees in a separate area(s) approved by the municipality.
  - 2) Pay a fee of \$300.00 per tree removed. This fee shall be placed into a fund dedicated to tree planting and continued maintenance of the trees.

- D. Section IV. Exemptions From the Ordinance of the Township of Edgewater Park to Repeal Chapter 438 Entitled "TREES" and to Replace with New Chapter "Tree Removal and Replacement" (Ordinance 2024-06)
  - 1. All persons shall comply with the tree replacement standard outlined above, except in the cases detailed below. Proper justification shall be provided, in writing, to the municipality by all persons claiming an exemption. Proper justification shall consist of, but is not limited to photographic evidence, certification from a licensed tree expert or arborist, and /or state agency documentation.
    - 1) Residents who remove less than four (4) trees per acre that fall into categories 1, 2, or 3 of the Tree Replacement Requirements Table within a five-year period;
    - 2) Tree farms in active operation, nurseries, fruit orchards, and garden centers;
    - 3) Properties used for the practice of silviculture under an approved forest stewardship or woodland management plan that is active and on file with the municipality;
    - 4) Any trees removed as part of a municipal or state decommissioning plan. This exemption only includes trees planted as part of the construction and predetermined to be removed in the decommissioning plan;
    - 5) Any trees removed pursuant to a New Jersey Department of Environmental Protection (NJDEP) or U.S. Environmental Protection Agency (EPA) approved environmental clean-up, or NJDEP-approved habitat enhancement plan;
    - 6) Approved game management practices, as recommended by the State of New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife;
    - 7) Hazard or invasive trees may be removed with no fee or replacement requirement;
    - 8) One hundred percent (100%) affordable housing developments.
    - 9) Any project that has received Preliminary Site Plan approval prior to the effective date of this ordinance, and said approval remains valid and in full force and effect.
- E. Section V. Enforcement From the Ordinance of the Township of Edgewater Park to Repeal Chapter 438 Entitled "TREES" and to Replace with New Chapter "Tree Removal and Replacement" (Ordinance 2024-06)
  - 1. The above-referenced ordinance shall be enforced by the Police Department during the course of ordinary enforcement duties.
- F. Section VI. Violations and Penalties From the Ordinance of the Township of Edgewater Park to Repeal Chapter 438 Entitled "TREES" and to Replace with New

# Chapter "Tree Removal and Replacement" (Ordinance 2024-06)

1. Any person(s) who is found to be in violation of the provisions of the above-referenced ordinance shall be subject to a fine of \$300.00, no more than \$1,000.00 per tree and/or any other penalty that is consistent with Section 1-8, Violations and Penalties, of the Township Code for each offense

# **Appendix A**

# Approved list of Replacement tree Species and Planting Standards for the Township of Edgewater Park

Common Name	Botanical Name	Planting Strip
Amanogawa Cherry*	Prunus serrulate 'Amanogawa'*	3' or Less
Autumn Brilliance Serviceberry	Amelanchier x grandiflora 'Autumn Brilliance'	3' or Less
Robin Holl Pink Serviceberry	Amelanchier x grandiflora 'Robin Hill Pink'	3' or Less
European Hornbeam*	Carpinus betulus 'clvs'*	3' – 4' Wide
Japanese Zelkova*	Zelkova serrata 'clvs'	3' - 4' Wide
London Planetree	Plantus x acerifolia 'clvs'	3' - 4' Wide
Black Tupelo*	Nyssa sylvatica 'clvs'*	3' – 4' Wide
American Hophornbeam*	Ostrya virginia 'clvs'*	3' - 4' Wide
American Hornbeam*	Carpinus caroliniana*	3' - 4' Wide
Okame Cherry*	Prunus 'Okame'*	3' – 4' Wide
Hackberry*	Celtis occidentalis*	4' or Wider
Willow Oak*	Quercus phellos*	4' or Wider
Pin Oak	Quercus palustris	4' or Wider
Red Maple	Acer rubrum 'clvs'	4' or Wider
Thornless Honeylocust	Gleditsia triacanthos var. inermis	4' or Wider
Tulip Tree	Liriodendron tulipifera	4' or Wider
Sawtooth Oak*	Quercus acutissima*	4' or Wider
'Princeton' Elm	Ulmus americana 'Princeton'	4' or Wider
October Glory Maple	Acer rubrum 'October Glory'	4' or Wider
Willow Oak	Quercus phellos	4' or Wider
American Basswood	Tilia americana 'clvs'	4' or Wider
Littleleaf Linden	Tilia cordata 'clvs'	4' or Wider
Columnar Sargent Cherry*	Prunus sargentii columnaris*	Under or Near Electrical Utilities
Korean Stewartia	Stewartia koreana	Under or Near Electrical Utilities


Redbud	Cercis canadensis	Under or Near Electrical Utilities
Sourwood	Oxydendrum arboretum	Under or Near Electrical Utilities

<sup>\*</sup>Fall Dig Hazard – Tree must only be planted in the spring

<sup>\*\*</sup>Trees not listed as a Fall Dig Hazard may be planted in the spring or fall

<sup>\*\*</sup>See Appendix B for planting requirements





PRUNE DAMAGED AND CONFLICTING BRANCHES. DO NOT CUT CENTRAL LEADER

GUYING SHALL ABOUT 1/2 ROOT BALL WIDTH AND SHALL BE 3/4" WOVEN POLYPROPYLENE TIE

HARDWOOD SQUARE STAKES, DRIVEN AT SLIGHT ANGLE (SEE CHART BELOW)

TOP OF ROOT BALL SHALL BE SET AT OR JUST SLIGHTLY ABOVE FINISHED ADJACENT GRADE.

REMOVE ALL ROPE FROM TRUNK AND TOP OF BALL. REMOVE TO 2/3 OF BURLAP WHEN IN TREE PIT

 $3\mbox{\ensuremath{^{\circ}}}$  SHREDDED HARDWOOD BARK, MULCH TO BE KEPT OFF TRUNK OF TREE

NATURAL 'A' HORIZON SOIL AND MYCORRHIZAL INOCULANT

REMOVE WIRE BASKET, TWINE AND BURLAP FROM ROOT BALL, REMOVE BOTTOM, THEN REMAINING WHEN PLACED IN PIT.

UNDISTURBED SUBGRADE

## TREE SIZE STAKES

8'-10' HT. 1"-2" CAL. 2"-4" CAL. 2 @ 6' 2 9 7 2 48 4"-6" CAL. 3 010

#### NOTES:

- GUYS FOR MULTI-STEM TREES TO BE ATTACHED ON THE LARGEST BRANCHES OF TREE.
  WATER BAGS MUST BE INSTALLED AROUND BASE OF TREE AND REMOVED AFTER TREE IS ESTABLISHED.
- 3. TREE PRUNING MUST FOLLOW STANDARDS AS DESCRIBED BY THE USDA FOREST SERVICE

ENVIRONMENTAL RESOLUTIONS, INC.	-
Environmental Resolutions	r
med to disease of the teach changes that if	r
AP Laure SP, Sector AC SP 105 TO Deve Sim 200 Mose	ŀ

REVISIONS	PROJECT # 63000 00
	DATE: 10/13/2023
	SCALE: NTS
	DRAWN BY: RGM
	REVIEWED BY: NJW

### STANDARD CONSTRUCTION DETAIL

**EDGEWATER PARK STREET TREE CONSTRUCTION DETAIL** 

# **Applicant, Property Owner, and Contractor Information** (Required Section)

Application Type (Select One):	
Residential Tree Removal Applicant – N	o Fee required
Commercial Tree Removal Applicant – N	No Fee required
Applicant's Name:	
Applicant's Address:	
Applicant's Phone Number:	Email:
Property Owner's Name:	
Property Owner's Address:	
Property Owner's Phone Number:	Email:
Contractor's & Company Name:	
Contractor's Address:	
Contractor's Phone Number: C	Contractor's Fax Number:
Contractor's Email:	
All approved permits shall be emailed to the Applean Mail Fax email	
I HEREBY CERTIFY that this application, the cois a true representation of all facts concerning the application is made with my approval as Owner of evidenced by my signature below. FOR THE DUPERMIT, IF ISSUED, I UNDERSTAND THE LECONSEQUENCES FOR ANY AND ALL VIOLEZONING AND GENERAL CODE ON THE PROPERTY.	proposed tree removal activity. This or Authorized Agent for the Owner, as RATION OF THE TREE REMOVAL EGAL RESPONSIBILITY AND ATIONS OF THE EDGEWATER PARK TOWNSHIP
Signature:	Date:
Title (if applicable):	
Consent of Owner (if applicable):	Date:

# General Tree Removal Information (Required Section)

For Residential/Commercial	Tree Removal	l App	licants:
----------------------------	--------------	-------	----------

2.	Li	st the total number of dead or dying trees being removed:
3.	D	o you seek to remove trees in a healthy condition? Yes No
		• If Yes, the reason for removal:
4.	Li	st the total number of trees in healthy condition being removed:
5.	A	re you proposing any Tree Replanting onsite? Yes No
	•	If Yes, please complete the Section on Tree Replanting Information below.
	•	If No, and you are removing any tree, be advised that you will be required to pay the listed additional application fee.
		Tree Replacement Information
Coı	mpl	ete this section only if proposing tree replacement onsite.
Wi	th r	egard to trees being removed:
	1.	Identify the species:
	2.	Diameter at Breast Height:
	3.	Location of trees:
For	all	proposed Replacement Trees:
	1.	Identify the species:
	2.	Provide the mature size:
	3.	Provide planting size:
	4.	Number of replacement trees:
	5.	Location of Plantings:
	6.	Timing of Planting:

# **Required Documents**

- 1. Residential Tree Removal Applicants seeking to remove only dead or dying trees will not need to submit any additional documents.
- 2. Removal of Healthy Tree (s) Applicants are required to submit a property survey or scaled plot plan showing the land upon which the tree (s) is located, the location of the tree sought to be removed, cut, or destroyed, and the distance of the tree(s) from existing structures and improvements, as well as proposed planting of Replacement Trees, as applicable;

Commercial Tree Removal Applications shall submit a copy of the most recent landscape plan approved by the Edgewater Park Planning Board or Zoning Board of Adjustment, if applicable. If no landscape plan is available, a property survey or scaled plot plan that details the location of all parking areas, landscape islands, and landscaped areas shall be submitted. The Zoning Department or his/her designee reserves the right to waive these documents or request any additional information deemed to be necessary and/or noted in §2024-9.

# For Official Use Only

Submission Date:	
Application No.:	
Residential/Commercial Tree Fund removed thus requiring additional commercial tree fundaments.	Contribution = Number of total healthy trees being ost:
Total Cost:	
APPROVED	DENIED
Signature	Date